

National MCH Performance Measure

{Each Performance measure is identified by the Core Function Pyramid level of service as defined by HRSA in annual reporting formats}

Direct Health Care

1. The percent of *State SSI beneficiaries less than 16 years old* receiving rehabilitative services from the State Children with Special Health Care Needs (CSHCN) Program.
2. The degree to which State Children With Special Health Care Needs (CSHCN) Program provides or pays for specialty and subspecialty services, including care coordination, not otherwise accessible or affordable to its clients.

Enabling Services

3. The percent of Children with Special Health Care Needs (CHSPN) in the state who have a "medical home"

Population-Based Services

4. Percent of newborns in the State with at least one screening for each PKU, hypothyroidism, galactosemia, hemoglobinopathies (e.g. the sickle cell diseases) (combined)
5. Percent of children through age 2 who have completed immunizations for Measles, Mumps, Rubella, Polio, Diphtheria, Tetanus, Pertussis, Hemophilus Influenza, Hepatitis B.
6. The birth rate (per 1,000) for teenagers aged 15 through 17 years.
7. Percent of third grade children who have received protective sealants on at least one Permanent molar tooth.
8. The rate of deaths to children aged 1-14 caused by motor vehicle crashes per 100,000 children.
9. Percentage of mothers who breast-feed their infants at hospital discharge
10. Percentage of newborns who have been screened for hearing impairment before hospital discharge.

Infrastructure Building Services

11. Percent of Children with Special Health Care Needs (CSHCN) in the State CSHCN with a source of insurance for primary and specialty care.
12. Percent of Children without health insurance.
13. Percent of potentially Medicaid eligible children who have received a service paid by the Medicaid Program.
14. The degree to which the State assures family participation in program and policy activities in the State CSHCN program.
15. The rate (per 100,000) of suicide deaths among youths aged 15-19
16. Percent of very low birth weight live births.

17. Percent of very low birth weight infants delivered at facilities for high-risk deliveries and neonates.

18. Percent of infants born to pregnant women receiving prenatal care beginning in the first trimester.

Montana State Performance Measures

Infrastructure Building Services

1. Percent of unintended pregnancy

2. Percent of women who abstain from alcohol use in pregnancy

3. Whether the state Title V program and its partners have adopted a set of quality standard for the MCH population and recommended them as standard to either public or private providers.

Enabling Services

4. Percent of "WIC" infants who are breast-feed at least six months.

5. Percent of state fetal/infant/child deaths reviewed for preventability by local review teams

Population Based Services

6. Percent of facilities using standardized domestic violence screening tool as part of care assessment and planning.

7. Percent of two-year-old children screened for lead

8. Percent of Medicaid eligible children who receive dental services as part of their comprehensive services.

Infrastructure Building Services

9. Percent of pregnant women who abstain from cigarette smoking

10. Rate of firearm deaths among youth aged 5-19

Health Status Indicators

1A. The percent of live births weighing less than 2,500 grams.

1B The percent of live singleton birthed weighing less than 2,500 grams

2A The percent of live births weighing less than 1,500 grams

2B The percent of singleton births weighing less than 1,500 grams

3A The death rate per 100,000 due to unintentional injuries among children aged 14 years and younger

3B The death relate per 100,000 due to unintentional injuries among children aged 14 and younger due to motor vehicle crashes

3C The rate per 100,000 o non-fatal injuries for youth age 15 through 24 years old due to motor vehicle crashes.

4A The rate per 100,000 of all non-fatal injuries among children aged 14 year and younger

4B The rate per 100,000 of all non-fatal injuries among children aged 14 years and younger

4C The rate per 100,000 of non-fatal injuries due to motor vehicle crashes a month children 14 years and younger

5A The rate per 1,000 women aged 15 through 19 years with a reported case of chlamydia

5B The rate per 1,000 women aged 20 through 44 years with a repotted care of chlamydia